




Amana[®]



CATALOG 2013



CATALOG 2013

Amana

1934
Amana brand
is founded and
begins innovating

1954
The first to patent
a self-defrost
refrigerator

1949
Introduced the
first side-by-side
refrigerator

1967
Brought the first
countertop microwave
to market—the
Radarange®

1988
Introduced the
first 24-inch deep
freestanding
refrigerator

1992
Introduced the
first clothes dryer
with a stainless
steel drum

2007
Brought Jot®
to market, the
first refrigerator
with a dry-erase
surface

2013
Partnered with Trees for
the Future. For every Amana®
major appliance sold, one tree
is planted to help rebuild
global deforested areas*



WHERE WE'VE BEEN

We've made it our mission to develop innovative and reliable appliances, since our doors first opened in 1934. From the first side-by-side refrigerator to the countertop microwave, we've consistently delivered clever solutions to you before everyone else. But more than where we've been, it's where we're going that makes all the difference.

*We're still the brand you know and love. The brand that designs to meet your needs. But we felt like we could be doing more. That we **should** be doing more.*

WHERE WE'RE GOING


By creating many products that are designed to not only perform better, but also be resource efficient, we're working to inspire a greener lifestyle and help you lower your utility bills. This eco-conscious evolution is our way of showing our appreciation to you—and to the world around us.


*At Amana brand, **ECOLOGIC TRULY DOES MEET ECONOMIC**. And it all comes together in a way that's not only affordable, but also fits your lifestyle more than ever.*

*During 2013, for every major appliance it sells in the U.S., Amana® will donate \$0.10 (the cost of each tree planted). Total donation is expected to plant over 2 million trees.



SAVING IS JUST THE START

 Indicates appliances with resource-efficient features. Visit Amana.com to see more resource-efficient appliances. Amana brand has a policy of continuous improvement of its products and reserves the right to change materials and specifications without notice.



NOTES

.....

.....

.....

LAUNDRY



FRONT LOAD LAUNDRY

page
10



TOP LOAD LAUNDRY

page
14

FIT FOR THE ENVIRONMENT AND YOUR BUDGET

From a large capacity so you can wash more at once, to automatically sensing when clothes are done, our laundry pairs use only what they need to perform at their best. Now you can use fewer resources, which helps save more money.



HIGH EFFICIENCY FRONT LOAD LAUNDRY



Models NFW5700BW, NE/GE5700BW

HIGH EFFICIENCY ALL AROUND

Our HE front load washer exceeds government standards for ENERGY STAR® qualification to help conserve water and energy and help lower your utility bills.



SAVINGS YOU CAN SEE

The Efficiency Monitor gives feedback regarding how the cycles and options you choose affect your overall energy savings. Now you can take the mystery out of efficiency.

EFFICIENCY PAYS

OUR HIGH-EFFICIENCY FRONT LOAD WASHER USES 77% LESS WATER AND 81% LESS ENERGY,* WHILE THE DRYER USES 48% LESS ENERGY, HELPING YOU SAVE MORE THAN \$3,300 DURING THE LIFETIME OF THE PAIR.†**

MULTIPLE CYCLES AND OPTIONS

Wasting water and overdrying clothes are in the past. Choose between 7 wash cycles and 5 dry cycles so you only use the water and energy you need to fit the load.



LARGEST CAPACITY AVAILABLE IN ITS CLASS‡

With 4.1 cu. ft. of washer capacity and 7.4 cu. ft. of dryer capacity, you can cut down on loads and more easily get your clothes from the floor to the drawer.

Note: Not all features included on all models. *Compared to pre-2004 traditional top load washers. **Compared to pre-2004 traditional top load dryers. †Compared to pre-2004 traditional top load pairs, average use, normal cycle, 11-year washer life and 12-year dryer life, combined washer and dryer water and energy savings, electric only. ‡Among leading front load brands, MSRP \$849 and below.

MODEL LINEUP

WASHER



Available Fall 2013



NFW5700B W

Shown with optional pedestal XHPC155XW

PEDESTAL DRAWER



XHPC155X W

XHP1550V W

DRYER



Available Fall 2013



NE/GD5700B W

Shown with optional pedestal XHPC155XW

PEDESTAL DRAWER



XHPC155X W

XHP1550V W

SPECIFICATIONS

HE FRONT LOAD WASHER	NFW5700B
Matching dryer	NE/GD5700B
Capacity (cu. ft.)	4.1
ENERGY STAR® qualified	•
High efficiency	•
Spin speed (RPM)	Up to 1,200
Low Water Wash system	•
Number of cycles	7
Drain & Spin	•
Heavy Duty	•
Normal	•
Clean Washer with affresh® Washer Cleaner	•
Quick	•
Cold	•
Delicate	•
Water levels	4
Delay Wash	8-hour
Efficiency Monitor	•
Control lockout	•
Automatic temperature control	•
Water temperatures	4
Speed combinations	2
Dispensers	Detergent, bleach and softener
Stainless steel wash basket	•
Color	W

W
White

HE FRONT LOAD DRYER	NE/GD5700B
Matching washer	NFW5700B
Capacity (cu. ft.)	7.4
High efficiency	•
Number of cycles	5
Heavy Duty	•
Time Dry	40 min. default, 100 min. max
Quick Dry	•
Delicates	•
Normal	•
Temperature options	4
Efficiency Monitor	•
Control lockout	•
On/off end-of-cycle signal	•
Reversible-swing door	Wide-open, side-swing
Optional drying rack	W10322470A
Optional LP conversion kit (gas models only)	W10307153
Color	W


DIMENSIONS

FRONT LOAD WASHER

MODEL	Height (A)	Width (B)	Depth (C)	Depth with door open (D)
NFW5700B	38"	27"	32¾"	52¾"


FRONT LOAD DRYER

MODEL	Height (A)	Width (B)	Depth (C)	Depth with door open (D)
NE/GD5700B	38"	27"	32¾"	52¾"



PEDESTAL DRAWER

MODEL	Height	Width	Depth
XHPC155X	38"	27"	32¾"
XHP1550V	38"	27"	32¾"



Products with the red, white and blue leaf symbol are designed, engineered and assembled in the U.S.A.



For every Amana® major appliance sold, a tree will be planted to help rebuild global deforested areas.*

*During 2013, for every major appliance it sells in the U.S., Amana® will donate \$0.10 (the cost of each tree planted). Total donation is expected to plant over 2 million trees.

DIMENSIONS ARE SHOWN FOR PLANNING PURPOSES ONLY. For complete information, see Installation Instructions packed with product.

TOP LOAD LAUNDRY



Models NTW4750Y, NE/GD4700Y

HIGH EFFICIENCY ALL AROUND

Our HE top load washer exceeds government standards for ENERGY STAR® qualification and meet CEE Tier 3* standards, helping you conserve resources and lower utility bills.



WASH AND DRY MORE AT ONCE


Our biggest capacity top load laundry pair fits more in every load. Now you can conserve resources and cut down on the time and energy spent doing laundry.

HIGH EFFICIENCY IN A TOP LOAD FORMAT

OUR HE WASHER USES UP TO 75% LESS WATER
AND 82% LESS ENERGY,** HELPING YOU SAVE OVER \$1,200
IN UTILITY COSTS OVER ITS LIFETIME.†

SENSES WHEN ITEMS ARE DRY

Automatic Dryness Control uses a sensor to monitor air temperature, automatically stopping the cycle when fabrics are dry to help reduce shrinking and overdrying.



CLEAN WITH LESS WATER

A low-water wash system cleans efficiently with as little as 13 gallons of water. Rather than filling the basket, a concentrated detergent and water mix penetrates fabrics to help remove soils and stains.

Note: Not all features included on all models. *Based on the Consortium for Energy Efficiency qualifying product list. Visit cee1.org for more information. **Compared to pre-2004 traditional top load washers. †Compared to pre-2004 traditional top load washers, average use, normal cycle, 10-year life.

MODEL LINEUP

WASHERS



3.4
CU.FT.

NTW4600Y Q



3.4
CU.FT.

NTW4650Y* Q



3.4
CU.FT.

NTW4700Y Q



3.6
CU.FT.

NTW4750Y* Q

DRYERS



6.5
CU.FT.

NE/GD4600Y Q



7.0
CU.FT.

NE/GD4700Y Q

**home
grown**

Products with the red, white and blue leaf symbol are designed, engineered and assembled in the U.S.A.



For every Amana® major appliance sold, a tree will be planted to help rebuild global deforested areas.**

SPECIFICATIONS

TOP LOAD WASHERS	NTW4600Y	NTW4650Y*	NTW4700Y	NTW4750Y*
Capacity (cu. ft.)	3.4	3.4	3.4	3.6
ENERGY STAR® qualified				•
High efficiency				•
Spin speed (RPM)	Up to 700	Up to 700	Up to 700	up to 800
Number of cycles	9	9	11	12
Clean Washer with affresh® Washer Cleaner				•
Quick Wash				•
Super Wash				•
Hand Wash		•	•	
Soak				•
Bulky				•
Casual Heavy	•	•	•	•
Casual Light	•		•	
Casual Regular	•	•	•	
Heavy	•	•	•	•
Light	•	•	•	•
Regular	•	•	•	•
Delicates	•	•	• Regular and Light	•
Drain & Spin	•	•	•	•
Rinse & Spin	•	•	•	•
Extra Rinse option				•
Auto load sensing				•
Stain Treat option				•
Cycle status bar	•	•	•	•
Water levels	3	3	3	Auto
Water temperatures	3	3	4	5
Custom options	6	6	10	11
Dispensers	Bleach	Bleach	Bleach and fabric softener	Bleach and fabric softener
Washer lid opening	Standard	Standard	Wide	Wide
Wash basket	Spreckle, porcelain	Spreckle, porcelain	White, porcelain	Stainless Steel
Wash system	Agitator	Agitator	Dual action agitator	Low water, impeller
Color	Q	Q	Q	Q

DRYERS	NE/GD4600Y	NE/GD4700Y
Capacity (cu. ft.)	6.5	7.0
Number of cycles	11	12
Heavy Duty		•
Timed Dry	up to 60 min.	up to 70 min.
On/off end-of-cycle signal		•
Temperature settings	3	4
Automatic Dryness Control	•	•
Energy Preferred	•	•
Wrinkle Prevent option	•	•
Interior drum light		•
Reversible door	Wide-open, side-swing	Wide-open, side-swing
Optional drying rack	3404351	3406839
LP conversion kit (gas models only)	49572A	49572A
Color	Q	Q

Bold green type indicates a step-up feature

Q White



DIMENSIONS

TOP LOAD WASHERS

MODEL	Height to top of console (A)	Height to top of cabinet (B)	Width (C)	Depth (D)	Height with lid opened 90° (E)
NTW4600Y	43"	37"	25½"	26"	53"
NTW4650Y*	43"	37"	25½"	26"	53"
NTW4700Y	43"	37"	25½"	26"	53"
NTW4750Y	43"	37"	25½"	26"	53"

DRYERS

MODEL	Height to top of console (A)	Height to top of cabinet (B)	Width (C)	Depth (D)	Depth with door opened 90° (E)
NE/GD4600Y	43"	37"	29"	28½"	50½"
NE/GD4700Y	43"	37"	29"	28½"	50½"



*Indicates a retail-specific model
**During 2013, for every major appliance it sells in the U.S., Amana® will donate \$0.10 (the cost of each tree planted). Total donation is expected to plant over 2 million trees.

*Indicates a retail-specific model.
DIMENSIONS ARE SHOWN FOR PLANNING PURPOSES ONLY. For complete information, see Installation Instructions packed with product.


ACCESSORIES



AFFRESH® WASHER CLEANER

#W10135699

Ideal for High Efficiency washers, these tablets remove odor-causing residue and keep your machine fresher and cleaner when used monthly.



DRYER POWER CORDS

4', 3-WIRE, 30 AMP #PT220L

4', 4-WIRE, 30 AMP #PT400L

6', 4-WIRE, 30 AMP #PT600L

Successfully hook up your electric dryer with one of these industrial-grade cords. Includes (1) flexible, heavy duty UL-listed cord with ring terminal connectors, adjustable strain relief bracket and installation instructions.



6' GOOSENECK NYLON BRAIDED FILL HOSE KIT

#8212638RC

#8212638RP

Nylon braided hose, 90° elbow with anti-corrosive couplings and pre-installed EPDM washers. Offers maximum water flow.



INSTALLERS VENT KIT

#4396013RB

Keep it flowing with safe and efficient metal venting. A 4' vent section attaches to a close elbow, while another attaches to a wall offset. Plus, an extension collar takes it to greater lengths.



LAUNDRY 1-2-3™ ADJUSTABLE CLOTHES RACK

#XHS1000XX

Easily attaches with scratch resistant magnets. Rotating arms pivot independently to accommodate various configurations.



WASHABLE DELICATES BAG

#W10180464RP

Protect delicate items from snags, tangles and tears while machine washing and drying.



DRYER LINT BRUSH

#8212614

Maximize your drying experience by keeping lint screens clean. This handy brush is made for dryers with lint screens on top.



MULTI-USE CLEANING BRUSH

#4210463RVV

For dryers with a lint screen in front, this brush sweeps lint away so your clothes can dry more efficiently.

LAUNDRY GLOSSARY

AUTO LOAD SENSING

Automatically measures the size of the load and uses the optimal amount of water for the volume of clothing and cycle selected.

AUTOMATIC DRYNESS CONTROL

Monitors drying temperature and dryness level so you don't have to worry about your clothes overdrying.

AUTOMATIC TEMPERATURE CONTROL

Sensors monitor the flow of incoming water, adjusting as needed, to maintain the temperature you select for consistent cleaning.

CASUAL CYCLE

Used for non-iron fabrics like sport shirts, blouses, casual business clothes, permanent press and blends.

CLEAN WASHER CYCLE

Use the Clean Washer cycle monthly to help remove detergent residue from inside the washer. Just add a cup of bleach—or for a deeper clean, affresh® Washer Cleaner—to make your washer sparkle.

DELICATE CYCLE

Slow spin speeds and a gentle wash motion effectively clean delicate items.

DRAIN & SPIN CYCLE

Used to drain the washer or to drain and spin the wash load.

DRUM LIGHT

Improve the view. This light helps you see everything clearly as you load and unload.

DUAL ACTION AGITATOR

Rolls clothing through the bottom of the wash basket for a thorough, even cleaning.

EFFICIENCY MONITOR

Shows how the cycles and options you choose affect your overall energy savings.

END-OF-CYCLE SIGNAL

You'll hear the end of it. A signal lets you know when the cycle is complete.

ENERGY STAR® QUALIFIED

Save money on your monthly utility bills. ENERGY STAR® qualified washers use less water and energy and help put more spending money in your pocket.

EXTRA RINSE OPTION

Rinses soil and detergent thoroughly from clothes, minimizing irritation for those with sensitive skin.

FABRIC SOFTENER DISPENSER

Releases fabric softener at the right time during the wash cycle.

LOW WATER WASH SYSTEM

Impeller and wash basket move independently of each other creating wash motions that provide better cleaning than agitator models and use less water.

NORMAL WASH CYCLE

The perfect cycle for your everyday laundry needs. Choose from regular, heavy or light soil options.

QUICK WASH SYSTEM

Increased spin speeds help remove more water for faster drying and help conserve water and energy.

PORCELAIN WASH BASKET

A smooth, porcelain surface resists scratches and odors, unlike plastic tub models, protecting fabrics from snags.

STAINLESS STEEL WASH BASKET

Resists scratches and rust to help prevent the staining of clothes.

SUPER CAPACITY

Clean and dry more clothes in fewer loads, meaning less time spent in the laundry room.

SUPER WASH CYCLE

Uses the maximum wash time and higher temperatures on heavily soiled loads to help remove set in stains.

VARIABLE WATER LEVELS

Wash smaller loads without guilt. Variable water levels reduce water waste by matching water level to load size.

WIDE-OPENING, REVERSIBLE-SWING DOOR

Quickly and conveniently load and unload clothes. Reversible doors create added installation versatility.

WRINKLE PREVENT OPTION

Put a stop to wrinkles. An extended tumbling time helps prevent dry clothes from developing those pesky creases.



NOTES

.....

.....

.....

REFRIGERATION



SIDE-BY-SIDE

page
24



BOTTOM-FREEZER

page
28



TOP-FREEZER

page
32

SMALLER FOOTPRINT. BIGGER SAVINGS.

A large capacity, adjustable door bins and lower energy usage—they're just a few of the ways new Amana® refrigerators are standing tall to help you conserve resources, save money and prevent wasted space.



SIDE-BY-SIDE REFRIGERATORS

Model ASD2575BR



FILTERED WATER WHEN YOU WANT IT

A Pur® water filtration system dispenses cold, refreshing water straight from the refrigerator and can save you up to \$600 a year instead of buying bottled water.*



STRESS-FREE MESSES

Save yourself the trouble. Spillsaver™ glass shelves help keep the mess contained and they're adjustable, too!

ECO-CONSCIOUS, BUDGET-FRIENDLY

OUR SLEEK AND EFFICIENT SIDE-BY-SIDE REFRIGERATORS
USE 30% LESS ENERGY TO KEEP FOOD COOL, HELPING YOU
SAVE \$300 DURING THEIR LIFETIME.**

ADJUSTS TO FIT YOUR NEEDS

From gallon door bins to a full-width crisper drawer, our versatile storage options are designed to fit what you bring home from the market.



ROOM TO CHOOSE

With a capacity of over 25 cu. ft. in our Amana® side-by-side refrigerators, you always have the food storage space that's right for you.

*Based on average use of two 6-month, 200-gallon water filters versus purchasing the same amount of leading brand bottled water.
**Compared to the average annual energy usage of a pre-2000 refrigerator, based on average use, 12-year life.

MODEL LINEUP



25.5
CU.FT.

ASD2575BR W | B | S



25.2
CU.FT.

Available Fall 2013

ASN2575BR S



22
CU.FT.

Available Fall 2013

ASD2275BR W | B | S



21.7
CU.FT.

Available Fall 2013

ASN2275BR S

SPECIFICATIONS

SIDE-BY-SIDE	ASD2275BR	ASD2575BR	ASN2275BR	ASN2575BR
Capacity (cu. ft.)	22	25.5	21.7	25.2
Total shelf area (sq. ft.)	22	23.9	24.3	27.2
Controls	Electronic Temp Assure™ freshness controls	Electronic Temp Assure™ freshness controls	Knob controls	Knob controls
External dispenser with Pur® water and ice filter	•	•		
Replacement water filter	W10295370	W10295370		
Filter status indicator	•	•		
SofSound™ sound package	•	•		

REFRIGERATOR STORAGE				
Refrigerator capacity (cu. ft.)	14.6	15.4	14.6	15.4
Clear, humidity-controlled Garden Fresh™ crisper drawer	1	1	1	1
Adjustable Spillsaver™ glass shelves	3	3	3	3
Door bins	4 white, adjustable	4 white, adjustable	4 white, adjustable	4 white, adjustable
Door bin grip pads	4	4	4	4
Gallon door storage	•	•	•	•
Dairy center	Covered	Covered	•	•

FREEZER STORAGE				
Freezer capacity (cu. ft.)	7.4	10	7.1	9.8
Factory-installed automatic icemaker	•	•		
Door style	Flat	Flat	Flat	Flat
Colors	W, B, S	W, B, S	S	S

W White
Textured door finish


B Black
Textured door finish

S Stainless Steel
Smooth door finish, black cabinet, metal handles

Bold green type indicates a step-up feature

DIMENSIONS

MODEL	Height with hinge (A)	Height without hinge (B)	Cabinet width (C)	Cabinet depth with door handle (D)	Cabinet depth without door handle (E)	Cabinet depth with door at 90° (F)
ASD2275BR	66 1/4"	65 7/8"	32 3/4"	34 5/8"	32 3/8"	49 7/8"
ASD2575BR	70 1/4"	69 3/8"	36"	34 1/2"	32 3/8"	49 7/8"
ASN2275BR	66 1/4"	65 7/8"	32 3/4"	34 5/8"	32 3/8"	49 7/8"
ASN2575BR	69 1/8"	68 7/8"	35 1/2"	34 1/2"	32 3/8"	49 7/8"



For every Amana® major appliance sold, a tree will be planted to help rebuild global deforested areas.*

*During 2013, for every major appliance it sells in the U.S., Amana® will donate \$0.10 (the cost of each tree planted). Total donation is expected to plant over 2 million trees.

DIMENSIONS ARE SHOWN FOR PLANNING PURPOSES ONLY. For complete information, see Installation Instructions packed with product.

BOTTOM-FREEZER REFRIGERATORS



Model ABB2224WE

FIT MORE IN THE DOOR

With gallon-size shelves and adjustable bins, there's always the perfect place for those gallons of milk, 2-liter bottles and juice containers—whatever quenches your thirst.



STRESS-FREE MESSSES

Save yourself the trouble. Spillsaver™ glass shelves help keep the mess contained and they're adjustable, too!

CONSERVE ENERGY, SAVE MONEY

OUR ENERGY STAR® QUALIFIED BOTTOM-FREEZER REFRIGERATORS HELP YOU CONSERVE 41% ENERGY AND SAVE OVER \$400 DURING THEIR LIFETIME.*

ADJUSTS TO FIT YOUR NEEDS

From gallon door bins to humidity-controlled crisper drawers, our versatile storage options are designed to fit what you bring home.



TAKE CONTROL OF FOOD STORAGE

Easy-to-use Temp Assure™ freshness controls put consistent temperatures right at your fingertips for worry-free food storage.

Note: Not all features available on all models
*Compared to average annual energy use of a pre-2000 refrigerator, based on average use, 12-year life.

MODEL LINEUP



18.5 CU.FT. Black and Stainless Steel available Fall 2013

ABB1921WE W | B | S



18.5 CU.FT.

ABB1924WE W | B | S



21.9 CU.FT.

ABB2224WE W | B | S

SPECIFICATIONS


BOTTOM-FREEZERS	ABB1921WE	ABB1924WE	ABB2224WE
Capacity (cu. ft.)	18.5	18.5	21.9
Total shelf area (sq. ft.)	20.0	20.0	23.5
Meets CEE Tier 1** standards	•	•	•
Temp Assure™ freshness controls	•	•	•
Reversible-swing doors	•	•	•
EasyReach™ freezer door	•		
EasyFreezer™ pull-out drawer		•	•
REFRIGERATOR STORAGE			
Refrigerator capacity (cu. ft.)	12.9	12.9	15.6
Clear, humidity controlled Garden Fresh™ crisper drawers	2	2	2
Deli drawer		1 half-width	1 half-width
Adjustable glass shelves	2 full-width	4 half-width Spillsaver™	4 half-width Spillsaver™
Door bins	3 adjustable	3 adjustable	3 adjustable
Gallon door storage	•	•	•
Dairy center	Covered	Covered	Covered
FREEZER STORAGE			
Freezer capacity (cu. ft.)	5.6	5.6	6.3
Optional automatic icemaker	Kit IC13B	Kit IC13B	Kit IC13B
Shelves	1 upper wire		
EasyClose freezer drawer system		•	•
Baskets	1 glide-out wire lower	2 wire, 1 lower with Quick Split™ organizer	2 wire, 1 lower with Quick Split™ organizer
Door style	Flat	Flat	Flat
Colors	W, B, S	W, B, S	W, B, S

Bold green type indicates a step-up feature

W White Textured door & drawer finish	B Black Textured door & drawer finish	S Stainless Steel Smooth door finish, black cabinet, metal handles
--	--	---

DIMENSIONS

MODEL	Height with hinge (A)	Height without hinge (B)	Cabinet width (C)	Cabinet depth with door handle (D)	Cabinet depth without door handle (E)	Cabinet depth with door at 90° (F)
ABB1921WE	66 ¹⁵ / ₁₆ "	65 ¹ / ₂ "	29 ³ / ₈ "	33 ³ / ₈ "	30 ⁷ / ₈ "	59"
ABB1924WE	66 ¹⁵ / ₁₆ "	65 ¹ / ₂ "	29 ³ / ₈ "	33 ³ / ₈ "	30 ⁷ / ₈ "	59"
ABB2224WE	69 ¹⁵ / ₁₆ "	68 ¹ / ₂ "	32 ⁵ / ₈ "	33 ³ / ₈ "	30 ⁷ / ₈ "	62"



Products with the red, white and blue leaf symbol are designed, engineered and assembled in the U.S.A.



For every Amana® major appliance sold, a tree will be planted to help rebuild global deforested areas.*

*During 2013, for every major appliance it sells in the U.S., Amana® will donate \$0.10 (the cost of each tree planted). Total donation is expected to plant over 2 million trees.

**Based on the Consortium for Energy Efficiency qualifying product list. Visit cee1.org for more information.

DIMENSIONS ARE SHOWN FOR PLANNING PURPOSES ONLY. For complete information, see Installation Instructions packed with product.

TOP-FREEZER REFRIGERATORS



Model A8RXNGFB

MORE CONVENIENT CONTROLS

Up-front temperature controls allow you to easily change the settings without having to reach to the back of the refrigerator.



FIT MORE IN THE DOOR

With gallon-size door storage, there's always the perfect place for those gallons of milk and juice containers—whatever quenches your thirst.

REFRIGERATE FOR LESS

AMANA® TOP-FREEZER REFRIGERATORS COOL YOUR FOOD MORE EFFICIENTLY, SO YOU CAN USE UP TO 40% LESS ENERGY AND SAVE OVER \$375 DURING THEIR LIFETIME.*

FORGET THE ICE TRAYS

Enjoy cold, refreshing beverages, like smoothies and iced tea, with the optional icemaker available on all Amana® top-freezer refrigerators.



STRESS-FREE MESSES

Save yourself some trouble. Spillsaver™ glass shelves help keep the mess contained and they're adjustable, too!

Note: Not all features available on all models.
*Compared to average annual energy use of a pre-2000 refrigerator, based on average use, 12-year life.

MODEL LINEUP



14.4
CU.FT.

A4TCNWFB W | B



15.9
CU.FT.

A6TXNWFX W



17.6
CU.FT. *Black available Fall 2013*

A8TCNWFA W | B





17.6
CU.FT.

A8RXNGFB S

SPECIFICATIONS


TOP FREEZERS	A4TCNWFB	A6TXNWFX	A8TCNWFA	A8RXNGFB
Capacity (cu. ft.)	14.4	15.9	17.6	17.6
Total shelf area (sq. ft.)	17.1	18.5	19.1	18.7
Reversible swing doors	•	•	•	•
Integrated handles	•		•	Contoured
REFRIGERATOR STORAGE				
Refrigerator capacity (cu. ft.)	10.6	12.0	13.5	13.5
Crisper drawers	1 full-width	1 full-width	1 full-width	2 humidity controlled Garden Fresh™
Clear deli drawer				1
Adjustable shelves	2 full-width wire	2 adjustable full-width wire	2 adjustable full-width wire	2 full-width Spillsaver™ glass shelves
Door shelves	2 full-width, 1 half-width	2 full-width, 1 half-width	2 full-width, 1 half-width	2 full-width, 1 half-width
Gallon door storage		•	•	•
Dairy center	•	•	•	Covered
FREEZER STORAGE				
Freezer capacity (cu. ft.)	3.8	3.9	4.1	4.1
Optional automatic icemaker kit	ECKMF94	ECKMF94	ECKMF94	ECKMF94
Shelves	1 half-width wire	1 half-width wire	1 half-width wire	1 full-width glass
Door style	Flat	Flat	Flat	Contoured
Colors	W, B	W	W	S

Bold green type indicates a step-up feature

 W White Textured door finish	 B Black Textured door finish	 S Stainless Steel
---	---	---

DIMENSIONS

MODEL	Height with hinge (A)	Height without hinge (B)	Cabinet width (C)	Cabinet depth with door handle (D)	Cabinet depth without door handle (E)	Cabinet depth with door at 90° (F)
A4TCNWFB	62 ³ / ₄ "	62 ¹ / ₈ "	28"	29 ³ / ₄ "	29 ³ / ₄ "	57"
A6TXNWFX	65 ³ / ₄ "	65 ¹ / ₄ "	28"	32 ⁷ / ₈ "	31 ⁷ / ₈ "	57"
A8TCNWFA	67 ⁷ / ₈ "	67 ³ / ₈ "	28"	31 ¹ / ₈ "	31 ¹ / ₈ "	57"
A8RXNGFB	67 ³ / ₈ "	67 ³ / ₈ "	28"	30 ¹ / ₈ "	30 ¹ / ₈ "	54 ³ / ₈ "




For every Amana® major appliance sold, a tree will be planted to help rebuild global deforested areas.*

*During 2013, for every major appliance it sells in the U.S., Amana® will donate \$0.10 (the cost of each tree planted). Total donation is expected to plant over 2 million trees.

DIMENSIONS ARE SHOWN FOR PLANNING PURPOSES ONLY. For complete information, see Installation Instructions packed with product.

ACCESSORIES



COPPER WATER SUPPLY KIT

#8003RP

Fits most refrigerators and includes (1) 15' copper water supply line, (1) saddle valve, (1) coupling, Teflon® tape and installation instructions.



REPLACEMENT REFRIGERATOR WATER FILTER

(SEE INDIVIDUAL PRODUCT PAGES)

Replacing your refrigerator water filter every 6 months, or when indicated by the filter system, helps ensure that clean, fresh-tasting drinking water is always available.



AFFRESH® STAINLESS STEEL WIPES

#W10355049

Gently cleans fingerprints, smudges and residue to leave a streak-free, polished shine. Contains 35, 7 X 9" use & toss wipes.



FRESHFLOW™ PRODUCE PRESERVER STARTER KIT

#P1FB6S1

Extend the freshness of produce by up to four days* with this starter kit that fits in any refrigerator. Replace every 6 months.



FRESHFLOW™ REFRIGERATOR DEODORIZER

#8171398SRB

Get rid of powerful odors like onion, garlic and fish. This deodorizer is designed for low airflow and high moisture in the refrigerator and contains high-absorbency activated coconut shell charcoal. Replace every 3 months.



FRESHFLOW™ ICE CUBE & FREEZER DEODORIZER

#4392894SRB

Ideal for high airflow and low moisture, this device traps odors before they're frozen in ice (not from water supply) and contains high-absorbency activated charcoal. Replace every 3 months.



MULTI-USE CLEANING BRUSH

#4210463RV

This brush easily removes cobwebs and dust from the coils on your refrigerator to help it continue running at peak performance. Dimensions: 27 1/2" (H) x 2" (W) x 2" (D)

*Based on commonly purchased produce.

REFRIGERATION GLOSSARY

ADJUSTABLE DOOR BINS

Move these bins up or down to fit your food.

CONTROL LOCKOUT

Locks dispenser controls to prevent unintended use of dispenser.

DAIRY CENTER

Dedicated storage space for dairy food, like butter and yogurt, helps make sure they are easy to find.

DELI DRAWER

Keep track of deli meat and cheese by storing it in this clear drawer.

EASYFREEZER™ PULL-OUT DRAWER

This drawer opens and closes smoothly—even when fully loaded with all your frozen favorites.

ENERGY STAR® QUALIFIED

Save money while conserving energy. These refrigerators meet or exceed the guidelines for energy efficiency.

GALLON DOOR STORAGE

Holds everything from gallons of milk to 2-liter bottles of soda and containers of juice—whatever quenches your thirst.

GARDEN FRESH™ CRISPER DRAWER

When your garden has grown, this humidity-controlled drawer helps keep fruits and veggies fresher for longer.

REVERSIBLE DOOR SWING

Select refrigerator and freezer doors can be adjusted to open from the left or right.

SLIDE-OUT PLASTIC FREEZER BASKET

Never lose another freezer item. This basket slides out so you can easily find what you are looking for.

SPILLSAVER™ GLASS SHELVES

Keep small messes from becoming big problems. These shelves help contain spills, stopping them from dripping onto the shelf below.

TEMP ASSURE™ FRESHNESS CONTROLS

These easy-to-use controls put consistent temperatures right at your fingertips.



NOTES

.....

.....

.....

COOKING



GAS RANGES

page
42



ELECTRIC RANGES

page
46



MICROWAVES

page
50



VENTILATION HOODS

page
54

TAILOR ENERGY USAGE TO THE DISH

Our cooking appliances are consistent in temperature and efficient when using the right pan with the right burner to provide a more precise experience. So whether you're crafting an entire family meal or just warming up soup, you've got the right tools to cook to perfection.



GAS RANGES



THE WHOLE MEAL FITS

A large capacity means you can cook multiple dishes at once and handle everything from daily meals to large family dinners with ease.

KEEP SPILLS CONTAINED

Don't sweat the small spills. Sealed burners make cleanup easy by limiting spills from dripping beneath the cooktop.



USE ONLY WHAT YOU NEED

A VERSATILE COOKTOP WITH MULTIPLE BURNER OPTIONS GIVES YOU PRECISE CONTROL AT ALL TEMPERATURES, SO YOU CAN PREPARE FOOD WITH THE RIGHT AMOUNT OF ENERGY FOR THE DISH.



IT'S ALL UNDER CONTROL

Easy Touch electronic oven controls allow you to set bake and broil temps with the touch of a finger. A clock and timer make it convenient to count down to dinner time, while control lockout prevents unintended use.

EASY CLEANUP

Our Spillsaver™ upswept cooktops, made of porcelain-steel, feature raised edges and smooth surfaces to make cleaning spills and splashes a breeze.



Note: Not all features available on all models

MODEL LINEUP

30" RANGES



4.4
CU.FT.

AGR3311WD W



4.4
CU.FT.

AGR3530AA W



4.4
CU.FT.

AGR4433XD W | B | S



5.0
CU.FT.

AGR5630BD W | B | S

Available Summer 2013



5.0
CU.FT.

AGR5844VD W | B | S

20" RANGES



2.6
CU.FT.

AGG200AA W



2.6
CU.FT.

AGG222VD W | B



Products with the red, white and blue leaf symbol are designed, engineered and assembled in the U.S.A.



For every Amana® major appliance sold, a tree will be planted to help rebuild global deforested areas.*


*During 2013, for every major appliance it sells in the U.S., Amana® will donate \$0.10 (the cost of each tree planted). Total donation is expected to plant over 2 million trees.

SPECIFICATIONS

30" GAS RANGES	AGR3311WD	AGR3530AA	AGR4433XD	AGR5630BD	AGR5844VD
Matching over-the-range microwave	AMV2175C AMV1150VA	AMV2175C AMV1150VA	AMV2175C AMV1150VA	AMV2175C AMV1150VA	AMV2175C AMV1150VA
Oven capacity	4.4	4.4	4.4	5.0	5.0
Self-cleaning				Adjustable time	Adjustable time
Temp Assure™ cooking system			•	•	•
Oven controls	Knob control	Knob control	Easy Touch Electronic	Easy Touch Electronic	Easy Touch Electronic
Towel bar door handle	•	•	•	•	•
Oven window			Extra-large	Extra-large	Extra-large
Interior oven light			•	•	•
Oven racks	2	2	2	2	2
Oven rack positions	5	5	5	5	5
Storage drawer			•	•	•
Control lockout			•	•	•
Broiler	Drop-down broiler with pan	Drop-down broiler with pan	Broiler drawer with pan	In-oven broiler	In-oven broiler
Delay-Bake oven control					
Electronic clock with timer			•	•	•
Spillsaver™ upswept cooktop	Porcelain-steel	Porcelain-steel	Porcelain-steel	Porcelain-steel	Porcelain-steel
Battery ignition		•			
Burner type	(4) 9,500 BTU sealed burners	(4) 9,500 BTU sealed burners	(3) 9,500 BTU (1) 11,500 BTU sealed burners	(1) 5,000 BTU (2) 9,500 BTU (1) 12,500 BTU sealed burners	(1) 5,000 BTU (2) 9,500 BTU (1) 12,500 BTU sealed burners
Grates	Wire-steel burner grates	Wire-steel burner grates	Wire-steel burner grates	Wire-steel burner grates	Wire-steel burner grates
Included LP gas conversion kit	•	•	•	•	•
Colors	W	W	W, B, S	W, B, S	W, B, S


20" GAS RANGES	AGG200AA	AGG222VD
Oven capacity	2.6	2.6
TempAssure™ cooking system		
Oven controls	Knob control	Knob control
Towel bar door handle	•	•
Oven window	•	•
Interior oven light		•
Oven racks	2	2
Oven rack positions	5	5
Broiler	Drop-down broiler with pan	Drop-down broiler with pan
Spillsaver™ upswept cooktop	Porcelain-steel	Porcelain-steel
Battery ignition	•	
Burner type	(2) 7,000 BTU (2) 9,500 BTU sealed burners	(2) 7,000 BTU (2) 9,500 BTU sealed burners
Grates	Wire-steel burner grates	Wire-steel burner grates
Included LP gas conversion kit	•	•
Colors	W	W, B

Bold green type indicates a step-up feature



DIMENSIONS

MODEL	Overall height (A)	Overall width (B)	Depth including handle (C)	Depth excluding handle (D)	Height to cooktop (E)	Depth with door open 90°	Cutout height	Cutout width	Cutout depth
AGR3311WD	42 ² / ₁₆ "	29 ⁷ / ₈ "	26 ³ / ₄ "	24 ¹ / ₄ "	36"	42 ¹ / ₈ "	36"	30 ¹ / ₈ "	24"
AGR3530AA	42"	29 ⁷ / ₈ "	26 ³ / ₈ "	24 ³ / ₄ "	36"	42 ¹ / ₈ "	36"	30"	24"
AGR4433XD	46 ¹ / ₄ "	29 ⁷ / ₈ "	26 ³ / ₄ "	24 ¹ / ₄ "	36"	42 ¹ / ₈ "	36"	30 ¹ / ₈ "	24"
AGR5630BD	46 ⁷ / ₈ "	29 ⁷ / ₈ "	27 ⁷ / ₈ "	25 ⁷ / ₁₆ "	36"	46 ¹¹ / ₁₆ "	36"	30"	24"
AGR5844VD	46 ⁷ / ₈ "	29 ⁷ / ₈ "	27 ¹¹ / ₁₆ "	25"	36"	46"	36"	30 ¹ / ₈ "	24"
AGG200AA	42"	19 ⁷ / ₈ "	26"	24 ³ / ₈ "	36"	42 ¹ / ₈ "	36"	20"	24"
AGG222VD	42 ² / ₁₆ "	19 ³ / ₄ "	26 ¹ / ₄ "	24 ¹ / ₂ "	36"	42 ¹ / ₈ "	36"	20 ¹ / ₈ "	24"



DIMENSIONS ARE SHOWN FOR PLANNING PURPOSES ONLY. For complete information, see Installation Instructions packed with product.

ELECTRIC RANGES



Model AER5830VA

EASY CLEANUP

Our Spillsaver™ ceramic glass cooktops feature raised edges and smooth surfaces to help make spills and splashes a breeze to clean.



THE WHOLE MEAL FITS

A large capacity means you can cook multiple dishes at once and handle everything from daily meals to large family dinners with ease.

ENJOY EATING IN AGAIN

WITH A VERSATILE COOKTOP THAT HEATS WITH PRECISION, PLUS EASY CLEANUP, YOU'LL LOVE COOKING AT HOME AGAIN—ESPECIALLY WHEN IT MEANS OPTIMIZING YOUR ENERGY USAGE.

PRECISION AT EVERY TEMPERATURE

A versatile cooktop with multiple elements provides precise control so you can prepare food while using the right amount of energy for the dish.



IT'S ALL UNDER CONTROL

Easy Touch electronic oven controls allow you to set bake and broil temps with the touch of a finger. A clock and timer make it convenient to count down to dinner time, while control lockout prevents unintended use.

Note: Not all features available on all models

MODEL LINEUP

30" RANGES



4.8
CU.FT.

Available Summer 2013

ACR3130BA W



4.8
CU.FT.

AER3311WA W



4.8
CU.FT.

Available Summer 2013

ACR4530BA W | B



4.8
CU.FT.

AER523XA W | B



4.8
CU.FT.

Available Summer 2013

AER5330BA W | B | S



4.8
CU.FT.

Available Summer 2013

AER5630BA W | B | S



4.8
CU.FT.

AER5823XA W | B | S



4.8
CU.FT.

AER5830VA W | B | S

20" RANGE



2.6
CU.FT.

AEP222VA W



Products with the red, white and blue leaf symbol are designed, engineered and assembled in the U.S.A.



For every Amana® major appliance sold, a tree will be planted to help rebuild global deforested areas.*

*During 2013, for every major appliance it sells in the U.S., Amana® will donate \$0.10 (the cost of each tree planted). Total donation is expected to plant over 2 million trees.

SPECIFICATIONS

30" ELECTRIC RANGES	ACR3130BA	AER3311WA	ACR4530BA	AER523XA	AER5330BA
Matching over-the-range microwave	AMV2175C AMV1150VA	AMV2175C AMV1150VA	AMV2175C AMV1150VA	AMV2175C AMV1150VA	AMV2175C AMV1150VA
Oven capacity	4.8	4.8	4.8	4.8	4.8
Self-cleaning			Adjustable time	Adjustable time	
Temp Assure™ cooking system		•		•	•
Oven controls	Knob control	Knob control	Easy Touch Electronic	Easy Touch Electronic	Easy Touch Electronic
Towel bar door handle	•	•	•	•	•
Oven window			Standard	Standard	Extra-large
Interior oven light			•	•	•
Oven racks	2	2	2	2	2
Oven rack positions	5	5	5	5	5
Storage drawer	•	•	•	•	•
Control lockout			•		•
In-oven broiler	•	•	Custom	Custom	Custom
Electronic clock with timer			•	•	•
Spillsaver™ upswept cooktop	Porcelain-steel	Porcelain-steel	Porcelain-steel	Porcelain-steel	Porcelain-steel
Chrome drip bowls	•	•	•	•	•
Element type	Coil element: (2) 6" 1,250-watt (2) 8" 2,100-watt	Coil element: (3) 6" 1,250-watt (1) 8" 2,100-watt	Coil element: (2) 6" 1,250-watt (2) 8" 2,100-watt	Coil element: (2) 6" 1,500-watt (2) 8" 2,600-watt	Radiant element: (2) 6" 1,500-watt (2) 8" 2,000-watt
Element on/Hot indicator light	On indicator only	On indicator only	On indicator only	On/Hot indicators	On/Hot indicators
Colors	W	W	W, B	W, B	W, B, S


30" ELECTRIC RANGES	AER5630BA	AER5823XA	AER5830VA	AEP222VA (20")
Matching over-the-range microwave	AMV2175C AMV1150VA	AMV2175C AMV1150VA	AMV2175C AMV1150VA	
Oven capacity	4.8	4.8	4.8	2.6
Self-cleaning	Adjustable time	Adjustable time	Adjustable time	
Temp Assure™ cooking system	•	•	•	
Oven controls	Easy Touch Electronic	Easy Touch Electronic	Easy Touch Electronic	Knob control
Towel bar door handle	•	•	•	•
Oven window	Extra-large	Extra-large	Extra-large	large
Interior oven light	•	•	•	•
Oven racks	2	2	2	2
Oven rack positions	5	5	5	5
Storage drawer	•	•	•	•
Control lockout	•	•	•	•
In-oven broiler	Custom	Custom	Custom	In-oven broiler
Delay-Bake oven control	•	•	•	
Electronic clock with timer	•	•	•	
Spillsaver™ upswept cooktop	Glass-ceramic	Glass-ceramic	Glass-ceramic	Porcelain-steel
Keep Warm™ setting	•	•	•	•
Chrome drip bowls				
Element type	Radiant element: (2) 6" 1,200-watt (1) 8" 1,800-watt (1) 9" 3,000/ 1,400-watt	Radiant element: (2) 6" 1,500-watt (2) 8" 2,000-watt	Radiant element: (2) 6" 1,200-watt (2) 10" 2,500-watt	Coil element: (3) 6" 1,250-watt (1) 8" 2,100-watt coil
Element On/Hot indicator light	•	•	•	•
Colors	W, B, S	W, B, S	W, B, S	W

Bold green type indicates a step-up feature

W White B Black S Stainless Steel
With black cabinet and cooktop

DIMENSIONS

MODEL	Overall height (A)	Overall width (B)	Depth including handle (C)	Depth excluding handle (D)	Height to cooktop (E)	Depth with door open 90°	Cutout height	Cutout width	Cutout depth
ACR3130BA	46 7/8"	29 7/8"	27 3/4"	25 3/16"	36"	46 11/16"	36"	30"	24"
AER3311WA	46 7/8"	29 7/8"	26 3/4"	24 1/4"	36"	46"	36"	30 3/8"	24"
ACR4530BA	46 7/8"	29 7/8"	27 3/4"	25 3/16"	36"	46 11/16"	36"	30"	24"
AER523XA	46 7/8"	29 7/8"	27 3/4"	25 3/16"	36"	46 11/16"	36"	30"	24"
AER5330BA	46 7/8"	29 7/8"	27 3/4"	25 3/16"	36"	46 11/16"	36"	30"	24"
AER5630BA	46 7/8"	29 7/8"	27 3/4"	25 3/16"	36"	46 11/16"	36"	30"	24"
AER5823XA	46 7/8"	29 7/8"	27 11/16"	25 3/16"	36"	46"	36"	30 3/8"	24"
AER5830VA	46 7/8"	29 7/8"	27 11/16"	25 3/16"	36"	46"	36"	30 3/8"	24"
AEP222VA	42 2/16"	19 3/4"	26 1/4"	24 1/2"	36"	42 1/8"	36"	20 3/8"	24"



DIMENSIONS ARE SHOWN FOR PLANNING PURPOSES ONLY. For complete information, see Installation Instructions packed with product.

MICROWAVES & VENTILATION



Model AMV2175C



PROGRAM WITH EASE

Touchmatic® control systems and simple keypads make it easy to choose the right cooking options.

AUTOMATIC SENSING. TASTY RESULTS.

Cook and reheat without the worry of overcooking. Sensors monitor humidity levels and automatically adjust cooking time and temperature for delicious results.



POWERS DOWN WHEN YOU DO

MANY APPLIANCES DRAW POWER WHEN NOT IN USE. OUR ENERGY SETTING CUTS ELECTRICITY TO THE MICROWAVE, SO WHEN YOU'RE OUT FOR THE DAY OR JUST NOT USING THE MICROWAVE, IT'S CONSERVING ENERGY.

CLEAR THE AIR

Hidden vents provide a sleek look and easy clean up. Ventilation options include recirculation and exterior venting models.



EVEN A CASSEROLE DISH FITS

Our microwave interiors easily hold and effectively heat your favorite recipes, even in a 9" x 13" dish.

Note: Features available on model AMV2175C.

MODEL LINEUP

COUNTERTOP



1.6
CU.FT.

AMC2165A W | B



1.6
CU.FT.

AMC2166A S

OVER-THE-RANGE



1.5
CU.FT.

AMV1150VA W | B | S



Available Summer 2013

1.7
CU.FT.

AMV2175C W | B | S



For every Amana® major appliance sold,
a tree will be planted to help
rebuild global deforested areas.*

*During 2013, for every major appliance it sells in the U.S., Amana® will donate \$0.10 (the cost of each tree planted). Total donation is expected to plant over 2 million trees.

SPECIFICATIONS

COUNTERTOP MICROWAVES	AMC2165A	AMC2166A
Capacity (cu. ft.)	1.6	1.6
Power output (Watts)	1,200	1,200
Display with digital clock & timer	•	•
Variable power levels	10	10
Touchmatic® control system	•	•
Turntable	•	•
Interior light	•	•
Control lockout	•	•
Sensor technology	•	•
Auto defrost	•	•
End of cycle signal	•	•
One touch key	Add-30seconds	Add-30seconds
Color	W, B	S

W White	B Black	S Stainless Steel
----------------	----------------	--------------------------

Bold green type indicates a step-up feature


OVER-THE-RANGE MICROWAVES	AMV1150VA	AMV2175C
Capacity (cu. ft.)	1.5	1.7
Power output (Watts)	1,000	1,000
CFM rating	220	220
Display with digital clock & timer	•	•
Variable power levels	10	10
Touchmatic® control system	•	•
Wire rack		•
Turntable	Extra-large	Extra-large
Interior light	•	•
Cooktop surface light	With timer delay	With timer delay
Control lockout	•	•
Exhaust fan	•	•
Energy Setting		•
Sensor technology		•
Auto defrost	•	•
Auto cook	•	•
Auto reheat	•	•
End of cycle signal	•	•
One touch key	Add-a-minute	Add-30seconds
Vent	Hidden	Hidden
Grease filter	W10208631	W10208631
Charcoal filter	8206230A	8206230A
Color	W, B, S	W, B, S

OVER-THE-RANGE MICROWAVE FILLER KITS	36" Opening, White	36" Opening, Black	36" Opening, Stainless Steel	Black Plastic	White Plastic
Universal	8171336	8171337	8171339	99401	99402

DIMENSIONS


COUNTERTOP

MODEL	Overall height (A)	Overall width (B)	Overall depth(C)	Interior oven height	Interior oven width	Interior oven depth
AMC2165A	13"	21 ³ / ₄ "	17 ¹ / ₄ "	10 ⁵ / ₁₆ "	15 ¹ / ₂ "	16 ¹ / ₄ "
AMC2166A	13"	21 ³ / ₄ "	17 ¹ / ₄ "	10 ⁵ / ₁₆ "	15 ¹ / ₂ "	16 ¹ / ₄ "



OVER-THE-RANGE


MODEL	Overall height (A)	Overall width (B)	Overall depth(C)	Cutout width	Minimum install height
AMV1150VA	17 ¹ / ₂ "	29 ¹⁵ / ₁₆ "	15 ⁵ / ₈ "	30"	66"
AMV2175C	17 ¹ / ₂ "	29 ¹⁵ / ₁₆ "	16 ¹ / ₈ "	30"	66"



DIMENSIONS ARE SHOWN FOR PLANNING PURPOSES ONLY. For complete information, see Installation Instructions packed with product.

MODEL LINEUP

VENTILATION HOODS



UP TO
190
CFM

UXT2030AY - 30" MODEL

UXT2036AY - 36" MODEL

W | B



UP TO
190
CFM

UXT3030AY - 30" MODEL

UXT3036AY - 36" MODEL

W | B



UP TO
190
CFM

UXT4030AY - 30" MODEL

UXT4036AY - 36" MODEL

W | B | T | S



UP TO
225
CFM

UXT4230AY - 30" MODEL

UXT4236AY - 36" MODEL

W | B | T | S



UP TO
350
CFM

UXT5230AY - 30" MODEL

UXT5236AY - 36" MODEL

W | B | S



UP TO
400
CFM

UXT5530AA - 30" MODEL

UXT5536AA - 36" MODEL

S



For every Amana® major appliance sold,
a tree will be planted to help
rebuild global deforested areas.*

*During 2013, for every major appliance it sells in the U.S., Amana® will donate \$0.10 (the cost of each tree planted). Total donation is expected to plant over 2 million trees.

SPECIFICATIONS

VENTILATION HOODS	UXT2030AY	UXT3030AY	UXT4030AY
Size	30"	30"	30"
Also available in 36"	UXT2036AY	UXT3036AY	UXT4036AY
Exhaust (Max.)	190 CFM	190 CFM	190 CFM
Sones (Sound Rating)	up to 4.5	up to 5.3	N/A Recirculating only
Controls	2-speed rocker switch	2-speed rocker switch	2-speed rocker switch
Lighting	75-watt on/off incandescent	75-watt on/off incandescent	75-watt on/off incandescent
Fan	Axial	Axial	Axial
Recirculation kit (ductless) with charcoal filter			Included charcoal filter (W10355450)
Duct type	7" round	3 1/4" x 10" rectangular	N/A Recirculating only
Venting	Exterior, top	Exterior, top & rear	N/A Recirculating only
Damper	Optional 7" round (W10355451)	Optional 7" round (W10355451)	N/A Recirculating only
Power cord (3 ft., 115v, 3 wire)	Optional (HOODPT3)	Optional (HOODPT3)	Optional (HOODPT3)
Colors	W, B	W, B	W, B, T, S (36" model in W, B only)


	UXT4230AY	UXT5230AY	UXT5530AA
Size	30"	30"	30"
Also available in 36"	UXT4236AY	UXT5236AY	UXT5536AA
Exhaust (Max.)	225 CFM	350 CFM	400 CFM
Sones (Sound Rating)	up to 7	up to 7	up to 8.2
Controls	Variable speed, rotary	3-speed, push button	3-speed, push button
Lighting	75-watt on/off incandescent	50-watt on/off halogen	50-watt on/off halogen
Fan	Axial	Axial	High-performance centrifugal
Recirculation (ductless) with charcoal filter	Optional (W10355450)	Optional (W10386873)	Included charcoal filter (W10272068)
Duct type	7" round or 3 1/4" x 10" rectangular	7" round or 3 1/4" x 10" rectangular	6" round or 3 1/4" x 10" rectangular
Venting	Convertible: Exterior or Recirculating	Convertible: Exterior or Recirculating	Convertible: Exterior or Recirculating
Damper	Optional 7" round (W10355451)	Optional 7" round (W10355451)	Optional 7" round (W10355451)
Power cord (3 ft., 115v, 3 wire)	Optional (HOODPT3)	Optional (HOODPT3)	Optional (HOODPT3)
Colors	W, B, T, S (36" only in W, B, S)	W, B, S	S

Bold green type indicates a step-up feature



DIMENSIONS

MODEL	Height (A)	Width (B)	Depth (C)	Cutout height	Cutout width	Cutout depth	Installation height from cooktop	Duct type
UXT2030AY	5"	30"	18 5/8"	5"	30"	11 1/8"	24-32"	7" round
UXT2036AY	5"	36"	18 5/8"	5"	36"	11 1/8"	24-32"	7" round
UXT3030AY	5"	30"	18 5/8"	5"	30"	11 1/8"	24-32"	3 1/4" x 10" rectangular
UXT3036AY	5"	36"	18 5/8"	5"	36"	11 1/8"	24-32"	3 1/4" x 10" rectangular
UXT4030AY	5"	30"	18 5/8"	5"	30"	11 1/8"	24-32"	No external venting, recirculating only
UXT4036AY	5"	36"	18 5/8"	5"	36"	11 1/8"	24-32"	No external venting, recirculating only
UXT4230AY	5"	30"	18 5/8"	5"	30"	11 1/8"	24-32"	7" round or 3 1/4" x 10" rectangular
UXT4236AY	5"	36"	18 5/8"	5"	36"	11 1/8"	24-32"	7" round or 3 1/4" x 10" rectangular
UXT5230AY	5"	30"	18 5/8"	5"	30"	11 1/8"	24-32"	7" round or 3 1/4" x 10" rectangular
UXT5236AY	5"	36"	18 5/8"	5"	36"	11 1/8"	24-32"	7" round or 3 1/4" x 10" rectangular
UXT5530AA	9"	30"	19 3/4"	9"	30"	12"	24-32"	6" round or 3 1/4" x 10" rectangular
UXT5536AA	9"	36"	19 3/4"	9"	36"	12"	24-32"	6" round or 3 1/4" x 10" rectangular



DIMENSIONS ARE SHOWN FOR PLANNING PURPOSES ONLY. For complete information, see Installation Instructions packed with product.

ACCESSORIES



RANGE POWER CORDS

6', 4-WIRE, 40 AMP #PT600
4', 4-WIRE, 40 AMP #PT400
4', 3-WIRE, 40 AMP #PT220

Successfully hook up your electric range with one of these industrial-grade cords and you'll be cooking in no time.



4" GAS RANGE CONNECTOR KIT

#30-48KITRC

This kit has everything you need to hook up your gas range. Includes (1) 4" connector, (3) fittings, sealant, leak detector solution and installation instructions.



VENTILATION HOOD POWER CORD

5', 3-WIRE, 125 VOLT #W10355452
3', 3-WIRE, 115 VOLT #HOODPT3

Hook up your range with ease with the choice of a 5' or 3' power cord.



RANGE ANTI-TIP KIT

#8273888A

Attaches to floor to minimize movement of ranges. Installation instructions included.



PREMIUM BROIL PAN & ROASTING RACK

#W10123240

This easy-to-clean 3-piece set with broiler grid helps prevent splatters and smoke.



UNIVERSAL MICROWAVE STEAMER

#8205262RB

Use these dishwasher-safe hard plastic components to steam fish, vegetables or rice.



AFFRESH® COOKTOP CLEANER (10 FL. OZ.)

#W10355051

Cuts through tough baked-on residue. Safe for all glass, ceramic and porcelain cooktops.



REPLACEMENT SCRUBBING PADS

#W10391473

Used for removing light soils or water spots, these pads are safe for all glass or ceramic surfaces. (20) pack.



AFFRESH® STAINLESS STEEL CLEANER (16 FL. OZ.)

#W10355016

Gently cleans fingerprints, smudges and residue to leave a streak-free, polished shine.

COOKING GLOSSARY

AUTO COOK

Heats frozen entrees, beverages and instant rice with the touch of a button.

AUTO DEFROST

Effectively thaws food according to weight for meals in a hurry.

AUTO REHEAT

Preset programs reheat items like a full dinner plate or a slice of pizza.

CHARCOAL ODOR FILTER

Helps pull cooking odors out of the kitchen air.

CONTROL LOCKOUT

Locks controls so little fingers can't turn on the range or the microwave oven.

CUSTOM BROIL

Set the broil temperature in five-degree increments. Choose higher heat for meat and lower heat for delicate desserts.

CUSTOM PROGRAM OPTION

Program a setting on the microwave to accommodate your favorite food.

DELAY-BAKE OVEN CONTROL

This control lets you program the oven to be ready when you are.

EASY TOUCH ELECTRONIC OVEN CONTROLS

Set bake or broil temperatures with just a touch. Plus, a clock and timer make it easy to count down to dinner time. Control lockout prevents unintended use.

HIDDEN VENT

Ventilation performance that's sleek and easy to maintain. A charcoal odor filter eliminates cooking odors.

KEEP WARM™ SETTING

Maintains the temperature of finished food without cooking it further.

LP GAS CONVERTIBLE

Included hardware that converts your gas range for use with propane gas.

SEALED BURNERS

Makes cleanup easy by preventing spills from dripping beneath the cooktop.

SELF-CLEANING OVEN

Let the oven do the dirty work. Select models feature adjustable cleaning time.

SENSOR TECHNOLOGY

Monitors humidity and automatically adjusts microwave cooking time so food is cooked or reheated, but not overcooked.

SPILLSAVER™ CERAMIC GLASS COOKTOP

A smooth, seamless ceramic and glass surface that contains spills for easy cleanup.

SPILLSAVER™ UPSWEPT COOKTOP

A smooth, seamless porcelain-steel surface that contains spills for easy cleanup.

TEMP ASSURE™ COOKING SYSTEM

Keeps temperatures consistent with a preheat cycle and dual use of the bake and broil elements.

TOUCHMATIC® CONTROL SYSTEM


Program your microwave with ease thanks to this simple key pad.

NOTES


.....

.....

.....



DISHWASHERS



page
62

BETTER FOR YOUR WORLD AND YOUR WALLET

From taller tubs so you can fit more at once, to using less water and energy, we're committed to helping you save time and money. Now you can clean with a clean conscience.*

*Compared to pre-2006 conventional dishwashers average use, normal cycle, 10-year life



DISHWASHERS

Model ADB1400PY



ENERGY STAR® QUALIFIED

Our tall tub dishwashers meet or exceed the federal guidelines for energy efficiency so you can save money while conserving energy.

LARGER CAPACITY* FEWER LOADS

Save on water usage by cutting down on the number of loads while fitting tall or oddly shaped items that would normally need to be hand washed.



SAVE MORE WHILE USING LESS

SKIP THE PREWASH. A TRIPLE FILTER WASH SYSTEM USES THREE FILTERS TO REMOVE THE TINIEST FOOD PARTICLES, HELPING YOU USE 35% LESS ENERGY, 62% LESS WATER AND SAVE OVER \$165** DURING THE APPLIANCE'S LIFETIME.



THE RIGHT CYCLE FOR EVERY TASK

Soil sensors adjust cycle time and water usage to match the soil level in each load, helping save time and energy.

UTENSILS STAY PUT

No matter which rack you choose, top or bottom, the Twice as Nice™ silverware baskets keep your utensils in place.



Note: Not all features available on all models
*Compared to standard tub dishwashers. **Compared to pre-2006 conventional dishwashers average use, normal cycle, 10-year life.

MODEL LINEUP



ADB1100AW W | B | S





ADB1400PY W | B | S

SPECIFICATIONS


DISHWASHERS	ADB1100AW	ADB1400PY
ENERGY STAR® qualified	•	•
Triple Filter Wash system	•	•
Tall tub interior	•	•
Vinyl racks	2	2
Twice as Nice™ silverware baskets with covers		2
Standard in-the-rack silverware basket	•	
Cup shelves		2
Light item clips		4
Number of cycles	3	3
Heavy Wash	•	•
Normal Wash	•	•
1-Hour Wash	•	•
Number of Options	2	5
High Temperature Wash	•	•
Heated Dry	•	•
Delay Start		4-Hour
Control Lockout		•
Soil sensor		•
Rinse aid dispenser	•	•
Low rinse aid indicator	Optical	•
Electronic controls	•	•
Sound package		SofSound™
Colors	W, B, S	W, B, S

Bold green type indicates a step-up feature

 W White with white toe kick	 B Black with black toe kick	 S Stainless Steel with black toe kick
---	---	---

DIMENSIONS

MODEL	Overall Height (A)	Overall Width (B)	Depth Including Console (C)	Depth Excluding Console (D)	Depth with door opened 90°	Cutout height	Cutout width	Cutout depth
ADB1100AW	33 1/2"–34 1/2"	23 7/8"	25 1/4"	24 1/2"	49 3/4"	34"	24"	24"
ADB1400PY	33 1/2"–34 1/2"	23 7/8"	25 1/4"	24 1/2"	49 3/4"	34"	24"	24"



Products with the red, white and blue leaf symbol are designed, engineered and assembled in the U.S.A.



For every Amana® major appliance sold, a tree will be planted to help rebuild global deforested areas.*

*During 2013, for every major appliance it sells in the U.S., Amana® will donate \$0.10 (the cost of each tree planted). Total donation is expected to plant over 2 million trees.

DIMENSIONS ARE SHOWN FOR PLANNING PURPOSES ONLY. For complete information, see Installation Instructions packed with product.

ACCESSORIES



UNIVERSAL INDUSTRIAL-GRADE 6' DISHWASHER WATER SUPPLY KIT

#W10278636RC
#W10278635RP

Connect your dishwasher to the water supply with this kit. The braided reinforced hose is better than stainless steel. Kit also includes (2) 3/8-inch brass compression fittings, (1) 3/8-inch brass elbow and (1) 3/4-inch brass swivel gooseneck fitting.



DISHWASHER SWIVEL GOOSENECK FITTING

#W10273460


Use this brass fitting with a pre-installed EPMD washer, to connect your dishwasher to the water supply line. It is necessary for installation of all Amana® dishwashers produced after 2009.



DISHWASHER RACK REPAIR KIT

#4396838RC (WHITE RACKS)
#4396840RC (GRAY RACKS)

Easily cover small cuts or exposed portions of the rack. Plus, this kit includes rack tip tines for an appearance that looks like new.



AFFRESH® DISHWASHER CLEANER

#W10282479

Even the dishwasher needs a little freshening up. This cleaner uses environmentally safer ingredients to power away hard water mineral residue and is also safe to use with dishware.*



AFFRESH® KITCHEN & APPLIANCE CLEANER

#W10355010

Keep your kitchen clean and fresh. This formula cuts through everyday spills to leave a streak-free shine.



AFFRESH® DISPOSAL CLEANER

#W10509526

Clean and deodorize your kitchen disposal with this cleaner that uses foaming action and works to loosen food and organic material.

DISHWASHER GLOSSARY

1-HOUR WASH CYCLE

Rapidly clean lightly soiled items, like glassware.

4-HOUR DELAY START OPTION**

Lets you program the wash cycle to run during off-peak energy use hours** or when you're away from the kitchen.

CONTROL LOCKOUT

Locks controls to prevent unintended use.

CUP SHELVES

Allows you to load two tiers of cups or other small items.

ELECTRONIC CONTROLS

Flat controls keep cycle selection simple and wipe clean with ease.

HEATED DRY OPTION

An internal heater accelerates the drying process, removing excess moisture so you can forgo the dish towel.

HIGH TEMPERATURE WASH OPTION

A heater boosts the water temperature during the wash cycle. Plus, an extra rinse is added for enhanced cleaning and drying.

LIGHT ITEM CLIPS

Clips help hold small pieces in place so they're easy to locate and put away.

RINSE AID DISPENSER WITH INDICATOR

Automatically adds a measured amount during the wash cycle, reducing the potential for spots on your dishes. Plus, an indicator helps you keep track of when a refill is needed.

RINSE ONLY CYCLE

If dishes are just dusty, this is the cycle you'll need. It forgoes detergent, using water to freshen things up.

SOFSOUND™ SOUND PACKAGE

Helps keep the sounds from the dishwasher from interrupting your life.

SOIL SENSOR

Sensor adjusts cycle time and water usage to match the soil level in each load, helping save time and energy.

TALL TUB INTERIOR

Holds more dishes and provides room for items that are too big to fit in a standard dishwasher tub.

TRIPLE FILTER WASH SYSTEM

A combination of three filters remove even the tiniest food particles from the wash water, so you conserve energy and water and still get clean dishes.

TWICE AS NICE™ SILVERWARE BASKETS

Place these baskets in either rack for increased loading flexibility.

*Check manufacturer's suggested cleaning instructions on all dishwasher safe items.

**Only available in the few areas that offer reduced energy rates during off-peak hours.



Amana brand and Trees for the Future have teamed up to make a bigger impact on the world, while making a smaller impact on the environment.

Trees for the Future is a charity that combines agriculture and forestry to create integrated and sustainable land-use systems. Trees and shrubs are planted near crops and livestock, which helps improve soil quality, yield higher crops and contribute to a better standard of living for people in rural communities.

So for every Amana® major appliance sold, one tree is planted to help rebuild global deforested areas.*

CATALOG 2013

Amana®

Amana.com

*During 2013, for every major appliance it sells in the U.S., Amana® will donate \$0.10 (the cost of each tree planted). Total donation is expected to plant over 2 million trees.

Amana[®]

As part of Amana brand's ongoing commitment to well-managed forests, all of the paper in this catalog comes from forests in compliance with the Forest Stewardship Council[™] standards for Responsible Forest Management.

Learn more about responsibly-managed forests and what it means to be FSC certified at us.fsc.org



Mixed Sources

Product group from well-managed forests and other controlled sources
www.fsc.org Cert no. XXX-XXX-XXXXXXX
© 1996 Forest Stewardship Council